

& , / & /

μ μ -

: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
\ 29.2.2	1	μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
\ 29.3.2	2	μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
			01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
			01-05-00-00		
\ 30.1	3	μ B500A	01-02-01-00 *	μ μ	01-02-01-00
\ 01.1	4	μ	05-03-03-00 *	μ	05-03-03-00
\ 02.2	5	0,10 m (. . . -155)	05-03-03-00 *	μ	05-03-03-00
\ 03	6		05-03-11-01		

	μ.		1501-+	(17/07-09-2016)	
μ					
\ 08.1	7	0,05 m μ	05-03-11-04 *	μ () μ	05-03-11-04
4611 .5	8				
6447 .1	9	5 5			
9302.1	10				
\12.13.01.05	11	at μ μ PVC-U μ 6 D110 mm	08-06-02-01		
\20.10	12	μ	02-07-02-00		
\32.01.05	13	μ μ μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
\38.03	14		01-04-00-00		
\38.20.02	15	μ μ μ B500C.	01-02-01-00 *	μ μ	01-02-01-00
8773.3.1	16	NY Y μ 3 1,5 mm2 μ			
8773.6.3	17	NY Y μ 5 4 mm2 μ			
2	18	NY Y μ 5 10 mm2			
8757.2.3	19	μ μ 25mm2			
1.1	20	10m			
3	21				
4	22	, franklin (μ)			
5	23				
6	24	μ μ			
7	25	1000W μ μ			

	μ.		1501-+	(17/07-09-2016)	
μ					
8	26	0,70 m.	0,50 x 0,50,		

μ μ μ 12/2/2018
μ

μ μ μ 12/2/2018
μ μ μ

μ